



**NEXT DECADE
BETTER ERA
BETTER YOU**

**EQUIPMENT
CONSTRUCTION**

2021



ZENVAN(HAINAN) EQUIPMENT CO., LTD

Fuxing city, Haikou city, China

Web: www.zenvan.cc

Email: info@zenvan.cc

Facebook: [@zenvangroup](https://www.facebook.com/zenvangroup)

Scan the QR code and follow the official Media.



**CATALOG
EQUIPMENT MENU**

2021

WARRANTY

Our equipment is manufactured under rigorous quality standards, backed by a guarantee against manufacturing and functional defects

SPARE PARTS

In the spare parts area, we guarantee timely attention to our customers, we support in the identification, import management and supply in the shortest possible time of engines, parts and parts of the equipment we sell, providing technical advice for the acquisition.

We constantly establish and review our planning inventories of purchases of national and international origin, which allows us to optimize the time of seeks and guarantee an optimal level of customer service.

TECHNICAL SERVICE

Our After Sales service provides technical support for our brands, and thus ensuring the investment of our clients.

CONTENTS

Excavator.....6

Backhoe loader.....12

Wheel loader.....16

Skid steer loader.....20

Road roller.....24

Motor grader.....28

Bulldozer.....30

Forklift.....34

Farm tractor.....40

HYDRAULIC EXCAVATOR



Mini excavator Z310

Engine		China K00P KD192F-1(Euro 5)
Rated power	HP	9.5
Operating weight	Kg	910
Bucket capacity	m³	0.025
Max. digging depth	mm	1681
Hydraulic pump		China TOP



Mini excavator Z330

Engine		Kubota V1505-EF01(Tier 4)
Rated power	HP	25
Operating weight	Kg	2410 / 2500
Bucket capacity	m³	0.05
Max. digging depth	mm	2200
Hydraulic pump		EATON

Mini excavator Z600

Engine		YARMAR 4TNV94L
Rated power	HP	46
Operating weight	Kg	5850
Bucket capacity	m³	0.22
Max. digging depth	mm	3860
Hydraulic pump		AP2V071CDLN

Mini excavator Z325S

Engine		Kubota D902-EF08(Tier 4)
Rated power	HP	16.1
Operating weight	Kg	1460 / 1530
Bucket capacity	m³	0.03
Max. digging depth	mm	1650
Hydraulic pump		EATON



Mini excavator Z350

Engine		Kubota V1505-EF01(Tier 4)
Rated power	HP	25
Operating weight	Kg	3350 / 3500
Bucket capacity	m³	0.06
Max. digging depth	mm	2400
Hydraulic pump		EATON

Excavator Z800

Engine		YARMAR 4TNV98T
Rated power	HP	76
Operating weight	Kg	7500
Bucket capacity	m³	0.34
Max. digging depth	mm	4038
Hydraulic pump		

Middle excavator Z1300

Engine		CUMMINS QSF3.8T3TC115
Rated power	HP	115
Operating weight	Kg	13000
Bucket capacity	m ³	0.53
Max. digging depth	mm	5501
Hydraulic pump		CCHC

Middle excavator Z215D

Engine		Cummins QSB7(Tier 3)
Rated power	HP	183
Operating weight	Kg	21500
Bucket capacity	m ³	0.93 ~ 1.20
Max. digging depth	mm	6603
Hydraulic pump		Korea Kawasaki or CCHC

Middle excavator Z260D

Engine		Cummins QSB7(Tier 3)
Rated power	HP	192
Operating weight	Kg	25000
Bucket capacity	m ³	1.05 ~ 1.30
Max. digging depth	mm	7280
Hydraulic pump		Korea Kawasaki or CCHC

Large excavator Z470D

Engine		Cummins QSM11(Tier 3)
Rated power	HP	380
Operating weight	Kg	45800
Bucket capacity	m ³	2.30 ~ 2.50
Max. digging depth	mm	7775
Hydraulic pump		Japan Kawasaki

Middle excavator Z215C

Engine		ISUZU 4HK1X(Tier 2)
Rated power	HP	162
Operating weight	Kg	21500
Bucket capacity	m ³	0.93 ~ 1.20
Max. digging depth	mm	6603
Hydraulic pump		Korea Kawasaki or CCHC

Middle excavator Z240D

Engine		Cummins QSB7(Tier 3)
Rated power	HP	190
Operating weight	Kg	23600
Bucket capacity	m ³	1.00 ~ 1.20
Max. digging depth	mm	6875
Hydraulic pump		Korea Kawasaki or CCHC

Large excavator Z360D

Engine		Cummins QSC8.3(Tier 3)
Rated power	HP	263
Operating weight	Kg	34800
Bucket capacity	m ³	1.60 ~ 1.80
Max. digging depth	mm	7340
Hydraulic pump		Korea Kawasaki or CCHC



BACKHOE LOADER

Need A
Backhoe Loader
WITH
CUMMINS Engine?

 ZENVAN



CUMMINS TIER 3 AS OPTION



Backhoe loader ZB388 / ZB388-1

Engine		YUCHAI YC4A105Z-T20(Tier 2)
Rated power	HP	105
Operating weight	Kg	7820 / 8200
Bucket capacity	m ³	0.3 / 1.0
Type		Integrated
Transmission & Axle		CHINA TOP
Extending dipper		Option

Backhoe loader ZB388S / ZB388S-1

Engine		YUCHAI YC4A105Z-T20(Tier 2)
Rated power	HP	105
Operating weight	Kg	7820 / 8200
Bucket capacity	m ³	0.3 / 1.0
Type		Integrated
Transmission & Axle		CHINA TOP
Extending dipper		Option

Backhoe loader ZB388X / ZB388X-1

Engine		CUMMINS 4BTA3.9-C(Tier 2)
Rated power	HP	100
Operating weight	Kg	7820 / 8200
Bucket capacity	m ³	0.3 / 1.0
Type		Integrated
Transmission & Axle		Italy CARRARO
Extending dipper		Option

Backhoe loader ZB388T / ZB388T-1

Engine		CUMMINS 4BTA3.9-C(Tier 2)
Rated power	HP	100
Operating weight	Kg	7820 / 8200
Bucket capacity	m ³	0.3 / 1.0
Type		Integrated
Transmission & Axle		Italy CARRARO
Extending dipper		Option

WHEEL LOADER



Wheel loader ZL936

Loading capacity	Kg	3000
Engine		WEICHAİ T2 / WEICHAİ T3 DONGFENG CUMMINS T2
Rated power	HP	125
Operating weight	Kg	10200
Bucket capacity	m ³	1.8 ~ 2.4
Std transmission		Fix-shift 4F / 2R
Operation		Hydrau pilot
YD13 powershift gearbox		Option

Wheel loader ZL956

Loading capacity	Kg	5000
Engine		WEICHAİ / SDEC(CAT TECH) T2 CUMMINS 6CTA8.3-C215
Rated power	HP	215
Operating weight	Kg	16500 ~ 17500
Bucket capacity	m ³	3.0 ~ 3.5
Std transmission		Planetary 2F / 1R
Operation		Hydrau pilot
ZF4WG200 gearbox		Option
ZF wet brake axle		Option
3.8m dumping height		Option
Heavy chassis		Option

CUMMINS



SKID STEER LOADER



Skid steer loader ZC350

Engine		XINCHAI
Rated power	HP	50
Operating weight	Kg	2300
Bucket capacity	m ³	0.3
Loading weight	Kg	500
Main pump		Italy BP/Hansha
Motor		DANFOSS

Skid steer loader ZC450G

Engine		XINCHAI <i>*YANMAR(Option)</i>
Rated power	HP	50
Operating weight	Kg	3000
Bucket capacity	m ³	0.4
Loading weight	Kg	700
Main pump		SAUER / REXROTH / EATON
Motor		DANFOSS

Skid steer loader ZC600G

Engine		XINCHAI <i>*YANMAR(Option)</i>
Rated power	HP	61
Operating weight	Kg	3200
Bucket capacity	m ³	0.50
Loading weight	Kg	850
Main pump		SAUER / REXROTH / EATON
Motor		DANFOSS

Skid steer loader ZC650G

Engine		XINCHAI <i>*YANMAR(Option)</i>
Rated power	HP	75
Operating weight	Kg	3300
Bucket capacity	m ³	0.50
Loading weight	Kg	950
Main pump		REXROTH
Motor		REXROTH



Skid steer loader Z750B

Engine		XINCHAI <i>*YANMAR(Option)</i>
Rated power	HP	75
Operating weight	Kg	3500
Bucket capacity	m ³	0.50
Loading weight	Kg	1050
Main pump		REXROTH
Motor		REXROTH

Skid steer loader ZC1000B

Engine		WEICHAI <i>*CUMMINS(Option)</i>
Rated power	HP	100
Operating weight	Kg	3550
Bucket capacity	m ³	0.55
Loading weight	Kg	1200
Main pump		REXROTH
Motor		REXROTH

ROAD ROLLER



Single drum single drive ZVS208H

Engine		CUMMINS 4BT3.9-C100(Tier 2)
Rated power	HP	100
Operating weight	Kg	8000
Vibration frequency	Hz	43
Drive pump & motor	Kg	DANFOSS

Single drum single drive ZVS210H

Engine		CUMMINS 6BT5.9-C150(Tier 3)
Rated power	HP	150
Operating weight	Kg	10000
Vibration frequency	Hz	29 / 35
Drive pump & motor	Kg	DANFOSS

Single drum single drive ZVS212H

Engine		CUMMINS 6BT5.9-C150(Tier 3)
Rated power	HP	150
Operating weight	Kg	12000
Vibration frequency	Hz	29 / 35
Drive pump & motor	Kg	DANFOSS

Single drum single drive ZVS214H

Engine		CUMMINS 6BT5.9-C150(Tier 3)
Rated power	HP	150
Operating weight	Kg	14000
Vibration frequency	Hz	29 / 35
Drive pump & motor	Kg	DANFOSS

Single drum dual drive ZVD210H

Engine		CUMMINS 6BT5.9-C150(Tier 3)
Rated power	HP	150
Operating weight	Kg	10000
Vibration frequency	Hz	28 / 35
Drive pump & motor	Kg	DANFOSS

Single drum dual drive ZVD212H

Engine		CUMMINS 6BT5.9-C150(Tier 3)
Rated power	HP	150
Operating weight	Kg	12000
Vibration frequency	Hz	28 / 35
Drive pump & motor	Kg	DANFOSS

Single drum dual drive ZVD214H

Engine		CUMMINS 6BT5.9-C150(Tier 3)
Rated power	HP	150
Operating weight	Kg	14000
Vibration frequency	Hz	28 / 35
Drive pump & motor	Kg	DANFOSS

Single drum dual drive ZVD216H

Engine		CUMMINS 6BT5.9-C150(Tier 3)
Rated power	HP	150
Operating weight	Kg	16000
Vibration frequency	Hz	28 / 35
Drive pump & motor	Kg	DANFOSS

Dual drum dual drive ZVC208

Engine		CUMMINS 4BT3.9-C100(Tier 2)
Rated power	HP	100
Operating weight	Kg	8000
Vibration frequency	Hz	45 / 50
Drive pump & motor	Kg	DANFOSS

Dual drum dual drive ZVC210

Engine		CUMMINS 4BT3.9-C100(Tier 2)
Rated power	HP	100
Operating weight	Kg	10000
Vibration frequency	Hz	45 / 50
Drive pump & motor	Kg	DANFOSS

Dual drum dual drive ZVC212

Engine		CUMMINS 6BT5.9-C150(Tier 3)
Rated power	HP	150
Operating weight	Kg	12000
Vibration frequency	Hz	40 / 46
Drive pump & motor	Kg	DANFOSS

Dual drum dual drive ZVC212

Engine		CUMMINS 6BT5.9-C150(Tier 3)
Rated power	HP	150
Operating weight	Kg	14000
Vibration frequency	Hz	40 / 46
Drive pump & motor	Kg	DANFOSS

Motor grader 135C

Engine		CUMMINS 6BTA5.9(Tier 2)
Rated power	HP	135
Operating weight	Kg	13800
Balde length x height	mm	3660×610
Transmission		HANGCHI powershift 6F / 3R
Air condition		√
Ripper		Option
Front dozer		Option

Motor grader 165C

Engine		CUMMINS 6BTA5.9(Tier 2)
Rated power	HP	170
Operating weight	Kg	15000
Balde length x height	mm	3660×610
Transmission		HANGCHI powershift 6F / 3R
Air condition		√
Ripper		Option
Front dozer		Option

Motor grader 180C

Engine		CUMMINS 6BTA5.9(Tier 2)
Rated power	HP	180
Operating weight	Kg	16000
Balde length x height	mm	3965x610
Transmission		HANGCHI powershift 6F / 3R
Air condition		√
Ripper		Option
Front dozer		Option

Motor grader 220C

Engine		CUMMINS 6BTA8.3(Tier 2)
Rated power	HP	215
Operating weight	Kg	16900
Balde length x height	mm	3965x610
Transmission		HANGCHI powershift 6F / 3R
Air condition		√
Ripper		Option
Front dozer		Option



MOTOR GRADER

BULLDOZER



Farm tractor D165-3

Engine		WEICHAH
Power	Hp	165
Std dozer capacity	m ³	4.60
Blade width	mm	3442
Std operating weight	kg	17550
Std dimension	mm	5447 × 3442 × 3160

Farm tractor D230-3

Engine		CUMMINS
Power	Hp	230
Std dozer capacity	m ³	7.80
Blade width	mm	3666
Std operating weight	kg	24840
Std dimension	mm	5733 × 3666 × 3380

Farm tractor SD130K

Engine		WEICHAH
Power	Hp	130
Std dozer capacity	m ³	3.10
Blade width	mm	3060
Std operating weight	kg	13100
Std dimension	mm	4922 × 3060 × 2999

Farm tractor SD190K

Engine		WEICHAH
Power	Hp	190
Std dozer capacity	m ³	4.60
Blade width	mm	4347
Std operating weight	kg	18320
Std dimension	mm	5395 × 3437 × 3163

Farm tractor SD240K

Engine		WEICHAH
Power	Hp	240
Std dozer capacity	m ³	8.10
Blade width	mm	3550
Std operating weight	kg	25500
Std dimension	mm	5876 × 3550 × 3402

Farm tractor SD230N

Engine		CUMMINS
Power	Hp	230
Std dozer capacity	m ³	8.40
Blade width	mm	3500
Std operating weight	kg	23800
Std dimension	mm	5677 × 3500 × 3402

Farm tractor SD350N

Engine		CUMMINS
Power	Hp	350
Std dozer capacity	m ³	11.24
Blade width	mm	3940
Std operating weight	kg	36800
Std dimension	mm	7751 × 3940 × 3549

Farm tractor SD430N

Engine		CUMMINS
Power	Hp	430
Std dozer capacity	m ³	13.5
Blade width	mm	4314
Std operating weight	kg	44360
Std dimension	mm	6592 × 4314 × 3970



FORKLIFT

ZENVAN



Forklift diesel FD15T

Engine		XINCHAI / Mitsubishi / ISUZU
Loading capacity	Kg	1500
Total weight	Kg	2860
Fork size	mm	920x120x35
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD18T

Engine		XINCHAI / Mitsubishi / ISUZU
Loading capacity	Kg	1800
Total weight	Kg	2990
Fork size	mm	920x120x35
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD20T

Engine		XINCHAI / Mitsubishi / ISUZU
Loading capacity	Kg	2000
Total weight	Kg	3385
Fork size	mm	1070x120x40
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD25T

Engine		XINCHAI / Mitsubishi / ISUZU
Loading capacity	Kg	2500
Total weight	Kg	3605
Fork size	mm	1070x120x40
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD30T

Engine		XINCHAI / Mitsubishi / ISUZU
Loading capacity	Kg	3000
Total weight	Kg	4460
Fork size	mm	1070x125x45
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD35T

Engine		XINCHAI / Mitsubishi / ISUZU
Loading capacity	Kg	3500
Total weight	Kg	4775
Fork size	mm	1070x125x45
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD40T

Engine		XICHAI / Mitsubishi
Loading capacity	Kg	4000
Total weight	Kg	6600
Fork size	mm	1070x150x50
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD45T

Engine		XICHAI / Mitsubishi
Loading capacity	Kg	4000
Total weight	Kg	6800
Fork size	mm	1070x150x50
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD50T(mini)

Engine		XICHAI / Mitsubishi
Loading capacity	Kg	4000
Total weight	Kg	7100
Fork size	mm	1070x150x50
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD50T

Engine		CHAOCHAI/Mitsubishi/ ISUZU/CUMMINS
Loading capacity	Kg	5000
Total weight	Kg	7980
Fork size	mm	1220x150x60
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD60T

Engine		Mitsubishi / XICHA / CHAOCHAI
Loading capacity	Kg	6000
Total weight	Kg	8640
Fork size	mm	1220x150x60
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD70T

Engine		CHAOCHAI/XICHA/Mitsubishi/ ISUZU
Loading capacity	Kg	7000
Total weight	Kg	9350
Fork size	mm	1220x150x65
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD80T

Engine		CHAOCHAI/XICHA/Mitsubishi/ ISUZU
Loading capacity	Kg	8000
Total weight	Kg	11850
Fork size	mm	1220x175x75
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD90T

Engine		CHAOCHAI/XICHA/Mitsubishi/ ISUZU
Loading capacity	Kg	9000
Total weight	Kg	12200
Fork size	mm	1220x175x780
Transmission		Hydraulic auto
Std mast		S2M

Forklift diesel FD100T

Engine		CHAOCHAI/XICHA/Mitsubishi/ ISUZU
Loading capacity	Kg	10000
Total weight	Kg	12900
Fork size	mm	1220x175x780
Transmission		Hydraulic auto
Std mast		S2M



FARM TRACTOR



Farm tractor ZT-604

Engine		QUANCHAI / XINCHAI
Power	Hp	60
Drive		4WD
Steering type		Hydraulic
Transmission		12F + 12R
Dimension with cab	mm	3925 × 1728 × 2870

Farm tractor ZT-704

Engine		QUANCHAI / XINCHAI
Power	Hp	70
Drive		4WD
Steering type		Hydraulic
Transmission		12F + 12R
Dimension with cab	mm	3925 × 1728 × 2870

Farm tractor ZT-804B

Engine		QUANCHAI / XINCHAI
Power	Hp	80
Drive		4WD
Steering type		Hydraulic
Transmission		12F + 12R
Dimension with cab	mm	4070 × 1700 × 2650

Farm tractor ZT-904B

Engine		QUANCHAI / XINCHAI
Power	Hp	90
Drive		4WD
Steering type		Hydraulic
Transmission		12F + 12R
Dimension with cab	mm	4080 × 1750 × 2650

Farm tractor ZT-1004B

Engine		QUANCHAI
Power	Hp	100
Drive		4WD
Steering type		Hydraulic
Transmission		12F + 12R
Dimension with cab	mm	4130 × 1720 × 2650

Farm tractor ZT-1004B

Engine		QUANCHAI
Power	Hp	120
Drive		4WD
Steering type		Hydraulic
Transmission		12F + 12R
Dimension with cab	mm	4130 × 1720 × 2650



Farm tractor ZT-1404B

Engine		YTO / WEICHA
Power	Hp	140
Drive		4WD
Steering type		Hydraulic
Transmission		16F + 8R
Dimension with cab	mm	4740 × 2170 × 2990

Farm tractor ZT-1604

Engine		YTO / WEICHA
Power	Hp	160
Drive		4WD
Steering type		Hydraulic
Transmission		16F + 8R
Dimension with cab	mm	4525 × 2046 × 3030

Farm tractor ZT-1604B

Engine		YTO / WEICHA
Power	Hp	160
Drive		4WD
Steering type		Hydraulic
Transmission		16F + 8R
Dimension with cab	mm	4740 × 2170 × 2990

Farm tractor ZT-1804B

Engine		YTO / WEICHA
Power	Hp	180
Drive		4WD
Steering type		Hydraulic
Transmission		24F + 8R
Dimension with cab	mm	4740 × 2170 × 2990

Farm tractor ZTX1804 (high configuration and generation)

Engine		YTO / WEICHA
Power	Hp	180
Drive		4WD
Steering type		Hydraulic
Transmission		16F + 8R
Dimension with cab	mm	5211 × 2128-2450 × 3140

Farm tractor ZTX2004 (high configuration and generation)

Engine		YTO / WEICHA
Power	Hp	200
Drive		4WD
Steering type		Hydraulic
Transmission		24F + 8R
Dimension with cab	mm	5211 × 2128-2450 × 3140

Farm tractor ZT-2004 (high configuration and generation)

Engine		WEICHA
Power	Hp	200
Drive		4WD
Steering type		Hydraulic
Transmission		16F + 16R
Dimension with cab	mm	5685 × 2470-3465 × 3220

Farm tractor ZT-2204 (high configuration and generation)

Engine		SDEC
Power	Hp	220
Drive		4WD
Steering type		Hydraulic
Transmission		16F + 16R
Dimension with cab	mm	5685 × 2470-3465 × 3220

Farm tractor ZT-2404 (high configuration and generation)

Engine		SDEC
Power	Hp	240
Drive		4WD
Steering type		Hydraulic
Transmission		16F + 16R
Dimension with cab	mm	5685 × 2470-3465 × 3220



**NEXT DECADE
BETTER ERA
BETTER YOU**

**EQUIPMENT
CONSTRUCTION**

2021



ZENVAN(HAINAN) EQUIPMENT CO., LTD

Fuxing city, Haikou city, China

Web: www.zenvan.cc

Email: info@zenvan.cc

Facebook: [@zenvangroup](https://www.facebook.com/zenvangroup)

Scan the QR code and follow the official Media.



**CATALOG
EQUIPMENT MENU**